


## In the Claims

1. **(currently amended)** An electroluminescent device, comprising a 2H-benzotriazole compound, ~~especially a compound of the formula~~




where

a is 0, or 1,


b is 0, or 1,

X<sup>1</sup> is a group of formula




c is 0, or 1





X<sup>2</sup> and X<sup>3</sup> are independently of each other a group of formula



Ar<sup>1</sup>, Ar<sup>2</sup>, and Ar<sup>3</sup> are independently of each other ~~aryl or heteroaryl, which can optionally be substituted, especially C<sub>6</sub>-C<sub>30</sub>aryl or a C<sub>2</sub>-C<sub>26</sub>heteroaryl, which can optionally be substituted,~~  
Y<sup>1</sup> and Y<sup>2</sup> are independently of each other a divalent linking group, and  
Y<sup>3</sup> and Y<sup>3'</sup> are independently of each other ~~aryl or heteroaryl, which can optionally be substituted, especially C<sub>6</sub>-C<sub>30</sub>aryl or a C<sub>2</sub>-C<sub>26</sub>heteroaryl, which can optionally be substituted.~~

2. **(original)** An electroluminescent device according to claim 1, comprising a 2H-benzotriazole compound of the formula






d, Ar<sup>1</sup>, Ar<sup>2</sup>, Ar<sup>3</sup>, Y<sup>1</sup> and Y<sup>2</sup> are defined as in claim 1,

Ar<sup>4</sup> stand for C<sub>6</sub>-C<sub>30</sub>aryl or a C<sub>2</sub>-C<sub>26</sub>heteroaryl, which can optionally be substituted,


and

Y<sup>3</sup> and Y<sup>3'</sup> are independently of each other C<sub>6</sub>-C<sub>30</sub>aryl or a C<sub>2</sub>-C<sub>26</sub>heteroaryl, which can optionally be substituted.

3. (currently amended) An electroluminescent device according to claim 2, wherein




in formula II or III are independently of each other a group of formula



wherein


A<sup>21</sup>, A<sup>22</sup>, A<sup>23</sup>, A<sup>24</sup>, A<sup>11</sup>, A<sup>12</sup>, A<sup>13</sup>, A<sup>14</sup>, A<sup>15</sup>, A<sup>16</sup>, A<sup>17</sup> and A<sup>18</sup> are independently of each other H, halogen, hydroxy, C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>1</sub>-C<sub>24</sub>alkyl which is substituted by E and/or interrupted by D, C<sub>1</sub>-C<sub>24</sub>perfluoroalkyl, C<sub>5</sub>-C<sub>12</sub>cycloalkyl, C<sub>5</sub>-C<sub>12</sub>cycloalkyl which is substituted by E and/or interrupted

by S-, -O-, or -NR<sup>25</sup>-, -NR<sup>25</sup>R<sup>26</sup>, C<sub>1</sub>-C<sub>24</sub>alkylthio, -PR<sup>32</sup> R<sup>32</sup>, C<sub>5</sub>-C<sub>12</sub>cycloalkoxy, C<sub>5</sub>-C<sub>12</sub>cycloalkoxy which is substituted by E, C<sub>6</sub>-C<sub>24</sub>aryl, C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by E, C<sub>2</sub>-C<sub>20</sub>heteroaryl, C<sub>2</sub>-C<sub>20</sub>heteroaryl which is substituted by E, C<sub>2</sub>-C<sub>24</sub>alkenyl, C<sub>2</sub>-C<sub>24</sub>alkynyl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkoxy which is substituted by E and/or interrupted by D, C<sub>7</sub>-C<sub>25</sub>aralkyl, C<sub>7</sub>-C<sub>25</sub>aralkyl, which is substituted by E, C<sub>7</sub>-C<sub>25</sub>aralkoxy, C<sub>7</sub>-C<sub>25</sub>aralkoxy which is substituted by E, or -CO-R<sup>28</sup>, or



A<sup>22</sup> and A<sup>23</sup> or A<sup>11</sup> and A<sup>23</sup> are a group

two groups A<sup>11</sup>, A<sup>12</sup>, A<sup>13</sup>, A<sup>14</sup>, A<sup>15</sup>, A<sup>16</sup>, A<sup>17</sup> and A<sup>18</sup>, which are neighbouring to each other, are a




group, or, wherein A<sup>31</sup>, A<sup>32</sup>, A<sup>33</sup>, A<sup>34</sup>, A<sup>35</sup>, A<sup>36</sup> and A<sup>37</sup> are


independently of each other H, halogen, hydroxy, C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>1</sub>-C<sub>24</sub>alkyl which is substituted by E and/or interrupted by D, C<sub>1</sub>-C<sub>24</sub>perfluoroalkyl, C<sub>5</sub>-C<sub>12</sub>cycloalkyl, C<sub>5</sub>-C<sub>12</sub>cycloalkyl which is substituted by E and/or interrupted by S-, -O-, or -NR<sup>25</sup>-, C<sub>5</sub>-C<sub>12</sub>cycloalkoxy, C<sub>5</sub>-C<sub>12</sub>cycloalkoxy which is substituted by E, C<sub>6</sub>-C<sub>24</sub>aryl, C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by E, C<sub>2</sub>-C<sub>20</sub>heteroaryl, C<sub>2</sub>-C<sub>20</sub>heteroaryl which is substituted by E, C<sub>2</sub>-C<sub>24</sub>alkenyl, C<sub>2</sub>-C<sub>24</sub>alkynyl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkoxy which is substituted by E and/or interrupted by D, C<sub>7</sub>-C<sub>25</sub>aralkyl, C<sub>7</sub>-C<sub>25</sub>aralkyl, which is substituted by E, C<sub>7</sub>-C<sub>25</sub>aralkoxy, C<sub>7</sub>-C<sub>25</sub>aralkoxy which is substituted by E, or -CO-R<sup>28</sup>, D is -CO-; -COO-; -S-; -SO-; -SO<sub>2</sub>-; -O-; -NR<sup>25</sup>-; -SiR<sup>30</sup>R<sup>31</sup>-; -POR<sup>32</sup>-; -CR<sup>23</sup>=CR<sup>24</sup>-; or -C≡C-; and E is -OR<sup>29</sup>; -SR<sup>29</sup>; -NR<sup>25</sup>R<sup>26</sup>; -COR<sup>28</sup>; -COOR<sup>27</sup>; -CONR<sup>25</sup>R<sup>26</sup>; -CN; -OCOOR<sup>27</sup>; or halogen;

wherein

R<sup>23</sup>, R<sup>24</sup>, R<sup>25</sup> and R<sup>26</sup> are independently of each other H; C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by C<sub>1</sub>-C<sub>24</sub>alkyl, or C<sub>1</sub>-C<sub>24</sub>alkoxy; C<sub>1</sub>-C<sub>24</sub>alkyl; or C<sub>1</sub>-C<sub>24</sub>alkyl which is interrupted by -O-; or



$R^{25}$  and  $R^{26}$  together form a five or six membered ring, in particular




$R^{27}$  and  $R^{28}$  are independently of each other H;  $C_6-C_{18}$ aryl;  $C_6-C_{18}$ aryl which is substituted by  $C_1-C_{24}$ alkyl, or  $C_1-C_{24}$ alkoxy;  $C_1-C_{24}$ alkyl; or  $C_1-C_{24}$ alkyl which is interrupted by  $-O-$ ,

$R^{29}$  is H;  $C_6-C_{18}$ aryl;  $C_6-C_{18}$ aryl, which is substituted by  $C_1-C_{24}$ alkyl, or  $C_1-C_{24}$ alkoxy;  $C_1-C_{24}$ alkyl; or  $C_1-C_{24}$ alkyl which is interrupted by  $-O-$ ,


$R^{30}$  and  $R^{31}$  are independently of each other  $C_1-C_{24}$ alkyl,  $C_6-C_{18}$ aryl, or  $C_6-C_{18}$ aryl, which is substituted by  $C_1-C_{24}$ alkyl, and

$R^{32}$  is  $C_1-C_{24}$ alkyl,  $C_6-C_{18}$ aryl, or  $C_6-C_{18}$ aryl, which is substituted by  $C_1-C_{24}$ alkyl.

**4. (currently amended)** An electroluminescent device according to claim 2, wherein




and in formula IV are independently of each other a group of formula




wherein

$A^{41}$ ,  $A^{42}$ ,  $A^{43}$ ,  $A^{44}$ ,  $A^{51}$ ,  $A^{52}$ ,  $A^{53}$ ,  $A^{54}$ ,  $A^{55}$ ,  $A^{56}$ ,  $A^{57}$ ,  $A^{58}$ ,  $A^{59}$  and  $A^{60}$  are independently of each other H, halogen, hydroxy,  $C_1-C_{24}$ alkyl,  $C_1-C_{24}$ alkyl which is substituted by E and/or interrupted by D,  $C_1-C_{24}$ perfluoroalkyl,  $C_5-C_{12}$ cycloalkyl,  $C_5-C_{12}$ cycloalkyl which is substituted by E and/or interrupted by S-,  $-O-$ , or  $-NR^{25}-$ ,  $NR^{25}R^{26}$ ,  $C_1-C_{24}$ alkylthio,  $-PR^{32}R^{32}$ ,  $C_5-C_{12}$ cycloalkoxy,  $C_5-$

C<sub>12</sub>cycloalkoxy which is substituted by E, C<sub>6</sub>-C<sub>24</sub>aryl, C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by E, C<sub>2</sub>-C<sub>20</sub>heteroaryl, C<sub>2</sub>-C<sub>20</sub>heteroaryl which is substituted by E, C<sub>2</sub>-C<sub>24</sub>alkenyl, C<sub>2</sub>-C<sub>24</sub>alkynyl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkoxy which is substituted by E and/or interrupted by D, C<sub>7</sub>-C<sub>25</sub>aralkyl, C<sub>7</sub>-C<sub>25</sub>aralkyl, which is substituted by E, C<sub>7</sub>-C<sub>25</sub>aralkoxy, C<sub>7</sub>-C<sub>25</sub>aralkoxy which is substituted by E, or -CO-R<sup>28</sup>, or




A<sup>42</sup> and A<sup>43</sup> or A<sup>42</sup> and A<sup>51</sup> are a group two groups A<sup>51</sup>, A<sup>52</sup>, A<sup>53</sup>, A<sup>54</sup>, A<sup>55</sup>, A<sup>56</sup>, A<sup>57</sup>, A<sup>58</sup>, A<sup>59</sup> and A<sup>60</sup>, which are neighbouring to each




other, are a group , or , wherein A<sup>61</sup>, A<sup>62</sup>, A<sup>63</sup>, A<sup>64</sup>, A<sup>65</sup>, A<sup>66</sup>, A<sup>67</sup>, A<sup>68</sup>, A<sup>69</sup> and A<sup>70</sup> are independently of each other H, halogen, hydroxy, C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>1</sub>-C<sub>24</sub>alkyl which is substituted by E and/or interrupted by D, C<sub>1</sub>-C<sub>24</sub>perfluoroalkyl, C<sub>5</sub>-C<sub>12</sub>cycloalkyl, C<sub>5</sub>-C<sub>12</sub>cycloalkyl which is substituted by E and/or interrupted by S-, -O-, or -NR<sup>25</sup>-, C<sub>5</sub>-C<sub>12</sub>cycloalkoxy, C<sub>5</sub>-C<sub>12</sub>cycloalkoxy which is substituted by E, C<sub>6</sub>-C<sub>24</sub>aryl, C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by E, C<sub>2</sub>-C<sub>20</sub>heteroaryl, C<sub>2</sub>-C<sub>20</sub>heteroaryl which is substituted by E, C<sub>2</sub>-C<sub>24</sub>alkenyl, C<sub>2</sub>-C<sub>24</sub>alkynyl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkoxy which is substituted by E and/or interrupted by D, C<sub>7</sub>-C<sub>25</sub>aralkyl, C<sub>7</sub>-C<sub>25</sub>aralkyl, which is substituted by E, C<sub>7</sub>-C<sub>25</sub>aralkoxy, C<sub>7</sub>-C<sub>25</sub>aralkoxy which is substituted by E, or -CO-R<sup>28</sup>,

D is -CO-; -COO-; -S-; -SO-; -SO<sub>2</sub>-; -O-; -NR<sup>25</sup>-; -SiR<sup>30</sup>R<sup>31</sup>-; -POR<sup>32</sup>-; -CR<sup>23</sup>=CR<sup>24</sup>-; or -C≡C-; and E is -OR<sup>29</sup>; -SR<sup>29</sup>; -NR<sup>25</sup>R<sup>26</sup>; -COR<sup>28</sup>; -COOR<sup>27</sup>; -CONR<sup>25</sup>R<sup>26</sup>; -CN; -OCOOR<sup>27</sup>; or halogen; wherein

R<sup>23</sup>, R<sup>24</sup>, R<sup>25</sup> and R<sup>26</sup> are independently of each other H; C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by C<sub>1</sub>-C<sub>24</sub>alkyl, or C<sub>1</sub>-C<sub>24</sub>alkoxy; C<sub>1</sub>-C<sub>24</sub>alkyl; or C<sub>1</sub>-C<sub>24</sub>alkyl which is interrupted by -O-; or



$R^{25}$  and  $R^{26}$  together form a five or six membered ring, in particular




$R^{27}$  and  $R^{28}$  are independently of each other H;  $C_6-C_{18}$ aryl;  $C_6-C_{18}$ aryl which is substituted by  $C_1-C_{24}$ alkyl, or  $C_1-C_{24}$ alkoxy;  $C_1-C_{24}$ alkyl; or  $C_1-C_{24}$ alkyl which is interrupted by  $-O-$ ,

$R^{29}$  is H;  $C_6-C_{18}$ aryl;  $C_6-C_{18}$ aryl, which is substituted by  $C_1-C_{24}$ alkyl, or  $C_1-C_{24}$ alkoxy;  $C_1-C_{24}$ alkyl; or  $C_1-C_{24}$ alkyl which is interrupted by  $-O-$ ,



$R^{30}$  and  $R^{31}$  are independently of each other  $C_1-C_{24}$ alkyl,  $C_6-C_{18}$ aryl, or  $C_6-C_{18}$ aryl, which is substituted by  $C_1-C_{24}$ alkyl, and

$R^{32}$  is  $C_1-C_{24}$ alkyl,  $C_6-C_{18}$ aryl, or  $C_6-C_{18}$ aryl, which is substituted by  $C_1-C_{24}$ alkyl, wherein one of the substituents  $A^{41}$ ,  $A^{42}$ ,  $A^{43}$ ,  $A^{44}$ ,  $A^{51}$ ,  $A^{52}$ ,  $A^{53}$ ,  $A^{54}$ ,  $A^{55}$ ,  $A^{56}$ ,  $A^{57}$ ,  $A^{58}$ ,  $A^{59}$ ,  $A^{60}$ ,  $A^{61}$ ,  $A^{62}$ ,  $A^{63}$ ,  $A^{64}$ ,  $A^{65}$ ,  $A^{66}$ ,  $A^{67}$ ,  $A^{68}$ ,  $A^{69}$  and  $A^{70}$  represents a single bond.


5. (currently amended) An electroluminescent device according to claim 2, ~~3 or 4~~ [[.]] wherein




$Y^3$  and  $Y^{3'}$  are independently of each other a group of formula



$R^{41}, R^{42}, R^{43}, R^{44}, R^{45}, R^{46}, R^{47}, R^{48}, R^{49}, R^{50}, R^{51}, R^{52}, R^{53}, R^{54}, R^{55}, R^{56}, R^{57}, R^{58}, R^{59}, R^{60}, R^{61}, R^{62}, R^{63}, R^{64}, R^{65}, R^{66}, R^{67}, R^{70}, R^{71}, R^{72}, R^{73}, R^{74}, R^{75}, R^{76}, R^{77}, R^{80}, R^{81}, R^{82}, R^{83}, R^{84}, R^{85}, R^{86}$ , and  $R^{87}$  are independently of each other H,  $C_1$ - $C_{24}$ alkyl, which is optionally substituted by E and/or interrupted by D,  $C_1$ - $C_{24}$ alkenyl, which is optionally substituted by E,  $C_5$ - $C_{12}$ cycloalkyl, which is optionally substituted by E,  $C_5$ - $C_{12}$ cycloalkoxy, which is optionally substituted by E,  $C_6$ - $C_{18}$ aryl, which is optionally substituted by E,  $C_1$ - $C_{24}$ alkoxy, which is optionally substituted by E and/or interrupted by D,  $C_6$ - $C_{18}$ aryloxy, which is optionally substituted by E,  $C_7$ - $C_{18}$ arylalkoxy, which is optionally substituted by E,  $C_1$ - $C_{24}$ alkylthio, which is optionally substituted by E and/or interrupted by D,  $C_1$ - $C_{24}$ alkylselenium, which is optionally substituted by E and/or interrupted by D,  $C_2$ - $C_{20}$ heteroaryl which is substituted by E, or  $C_6$ - $C_{18}$ aralkyl, which is optionally substituted by E, or two groups  $R^{41}, R^{42}, R^{43}, R^{44}, R^{45}, R^{46}, R^{47}, R^{48}, R^{49}, R^{50}, R^{51}, R^{52}, R^{53}, R^{54}, R^{55}, R^{56}, R^{57}, R^{58}, R^{59}, R^{60}, R^{61}, R^{62}, R^{63}, R^{64}, R^{65}, R^{66}, R^{67}, R^{70}, R^{71}, R^{72}, R^{73}, R^{74}, R^{75}, R^{76}, R^{77}, R^{80}, R^{81}, R^{82}, R^{83}, R^{84}$ ,




$R^{85}, R^{86}$ , and  $R^{87}$ , which are neighbouring to each other, are a group



or , wherein  $A^{90}, A^{91}, A^{92}, A^{93}, A^{94}, A^{95}, A^{96}$  and  $A^{97}$  are independently of each other H, halogen, hydroxy,  $C_1$ - $C_{24}$ alkyl,  $C_1$ - $C_{24}$ alkyl which is substituted by E and/or interrupted by D,  $C_1$ - $C_{24}$ perfluoroalkyl,  $C_5$ - $C_{12}$ cycloalkyl,  $C_5$ - $C_{12}$ cycloalkyl which is substituted by E and/or interrupted by S-, -O-, or -NR<sup>25</sup>-,  $C_5$ - $C_{12}$ cycloalkoxy,  $C_5$ - $C_{12}$ cycloalkoxy which is substituted by E,  $C_6$ - $C_{24}$ aryl,  $C_6$ - $C_{24}$ aryl which is substituted by E,  $C_2$ - $C_{20}$ heteroaryl,  $C_2$ - $C_{20}$ heteroaryl which is substituted by E,  $C_2$ - $C_{24}$ alkenyl,  $C_2$ - $C_{24}$ alkynyl,  $C_1$ - $C_{24}$ alkoxy,  $C_1$ - $C_{24}$ alkoxy which is substituted by E and/or interrupted by D,  $C_7$ - $C_{25}$ aralkyl,  $C_7$ - $C_{25}$ aralkyl, which is substituted by E,  $C_7$ - $C_{25}$ aralkoxy,  $C_7$ - $C_{25}$ aralkoxy which is substituted by E, or -CO-R<sup>28</sup>,

$R^{68}, R^{69}, R^{78}, R^{79}, R^{88}$  and  $R^{89}$  are independently of each other  $C_1$ - $C_{18}$  alkyl,  $C_1$ - $C_{24}$ alkyl which is substituted by E and/or interrupted by D,  $C_6$ - $C_{24}$ aryl,  $C_6$ - $C_{24}$ aryl which is substituted by E,  $C_2$ - $C_{20}$ heteroaryl,  $C_2$ - $C_{20}$ heteroaryl which is substituted by E,  $C_2$ - $C_{24}$ alkenyl,  $C_2$ - $C_{24}$ alkynyl,  $C_1$ - $C_{24}$ alkoxy,  $C_1$ - $C_{24}$ alkoxy which is substituted by E and/or interrupted by D, or  $C_7$ - $C_{25}$ aralkyl, or

$R^{68}$  and  $R^{69}$ ,  $R^{78}$  and  $R^{79}$ , and/or  $R^{88}$  and  $R^{89}$  form a ring, especially a five- or six-membered ring, or




$R^{68}$  and  $R^{70}$ ,  $R^{69}$  and  $R^{73}$ ,  $R^{77}$  and  $R^{78}$  and/or  $R^{84}$  and  $R^{89}$  are a group

D is  $-\text{CO}-$ ;  $-\text{COO}-$ ;  $-\text{S}-$ ;  $-\text{SO}-$ ;  $-\text{SO}_2-$ ;  $-\text{O}-$ ;  $-\text{NR}^{25}-$ ;  $-\text{SiR}^{30}\text{R}^{31}-$ ;  $-\text{POR}^{32}-$ ;  $-\text{CR}^{23}=\text{CR}^{24}-$ ; or  $-\text{C}\equiv\text{C}-$ ; and


E is  $-\text{OR}^{29}$ ;  $-\text{SR}^{29}$ ;  $-\text{NR}^{25}\text{R}^{26}$ ;  $-\text{COR}^{28}$ ;  $-\text{COOR}^{27}$ ;  $-\text{CONR}^{25}\text{R}^{26}$ ;  $-\text{CN}$ ;  $-\text{OCOOR}^{27}$ ; or halogen;

wherein

$R^{23}$ ,  $R^{24}$ ,  $R^{25}$  and  $R^{26}$  are independently of each other H;  $\text{C}_6\text{-C}_{18}\text{aryl}$ ;  $\text{C}_6\text{-C}_{18}\text{aryl}$  which is substituted by  $\text{C}_1\text{-C}_{24}\text{alkyl}$ , or  $\text{C}_1\text{-C}_{24}\text{alkoxy}$ ;  $\text{C}_1\text{-C}_{24}\text{alkyl}$ ; or  $\text{C}_1\text{-C}_{24}\text{alkyl}$  which is interrupted by  $-\text{O}-$ ; or



$R^{25}$  and  $R^{26}$  together form a five or six membered ring, in particular



$R^{27}$  and  $R^{28}$  are independently of each other H;  $\text{C}_6\text{-C}_{18}\text{aryl}$ ;  $\text{C}_6\text{-C}_{18}\text{aryl}$  which is substituted by  $\text{C}_1\text{-C}_{24}\text{alkyl}$ , or  $\text{C}_1\text{-C}_{24}\text{alkoxy}$ ;  $\text{C}_1\text{-C}_{24}\text{alkyl}$ ; or  $\text{C}_1\text{-C}_{24}\text{alkyl}$  which is interrupted by  $-\text{O}-$ ,

$R^{29}$  is H;  $\text{C}_6\text{-C}_{18}\text{aryl}$ ;  $\text{C}_6\text{-C}_{18}\text{aryl}$ , which is substituted by  $\text{C}_1\text{-C}_{24}\text{alkyl}$ , or  $\text{C}_1\text{-C}_{24}\text{alkoxy}$ ;  $\text{C}_1\text{-C}_{24}\text{alkyl}$ ; or  $\text{C}_1\text{-C}_{24}\text{alkyl}$  which is interrupted by  $-\text{O}-$ ,

$R^{30}$  and  $R^{31}$  are independently of each other  $\text{C}_1\text{-C}_{24}\text{alkyl}$ ,  $\text{C}_6\text{-C}_{18}\text{aryl}$ , or  $\text{C}_6\text{-C}_{18}\text{aryl}$ , which is substituted by  $\text{C}_1\text{-C}_{24}\text{alkyl}$ , and


$R^{32}$  is  $\text{C}_1\text{-C}_{24}\text{alkyl}$ ,  $\text{C}_6\text{-C}_{18}\text{aryl}$ , or  $\text{C}_6\text{-C}_{18}\text{aryl}$ , which is substituted by  $\text{C}_1\text{-C}_{24}\text{alkyl}$ .

6. (currently amended) An electroluminescent device according to claim 1 ~~any of claims 1 to 5~~, wherein

$Y^1$  and  $Y^2$  are independently of each other







$n_1, n_2, n_3, n_4, n_5, n_6$  and  $n_7$  are 1, 2, or 3, in particular 1[.]

$E^1$  is -S-, -O-, or -NR<sup>25'</sup>-, wherein R<sup>25'</sup> is C<sub>1</sub>-C<sub>24</sub>alkyl, or C<sub>6</sub>-C<sub>10</sub>aryl, R<sup>6</sup> and R<sup>7</sup> are independently of each other H, halogen, hydroxy, C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>1</sub>-C<sub>24</sub>alkyl which is substituted by E and/or interrupted by D, C<sub>1</sub>-C<sub>24</sub>perfluoroalkyl, C<sub>5</sub>-C<sub>12</sub>cycloalkyl, C<sub>5</sub>-C<sub>12</sub>cycloalkyl which is substituted by E and/or interrupted by S-, -O-, or -NR<sup>25</sup>-, C<sub>5</sub>-C<sub>12</sub>cycloalkoxy, C<sub>5</sub>-C<sub>12</sub>cycloalkoxy which is substituted by E, C<sub>6</sub>-C<sub>24</sub>aryl, C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by E, C<sub>2</sub>-C<sub>20</sub>heteroaryl, C<sub>2</sub>-C<sub>20</sub>heteroaryl which is substituted by E, C<sub>2</sub>-C<sub>24</sub>alkenyl, C<sub>2</sub>-C<sub>24</sub>alkynyl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkoxy which is substituted by E and/or interrupted by D, C<sub>7</sub>-C<sub>25</sub>aralkyl, C<sub>7</sub>-C<sub>25</sub>aralkyl, which is substituted by E, C<sub>7</sub>-C<sub>25</sub>aralkoxy, C<sub>7</sub>-C<sub>25</sub>aralkoxy which is substituted by E, or -CO-R<sup>28</sup>,

R<sup>8</sup> is C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>1</sub>-C<sub>24</sub>alkyl which is substituted by E and/or interrupted by D, C<sub>6</sub>-C<sub>24</sub>aryl, or C<sub>7</sub>-C<sub>25</sub>aralkyl,

R<sup>9</sup> and R<sup>10</sup> are independently of each other C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>1</sub>-C<sub>24</sub>alkyl which is substituted by E and/or interrupted by D, C<sub>6</sub>-C<sub>24</sub>aryl, C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by E, C<sub>2</sub>-C<sub>20</sub>heteroaryl, C<sub>2</sub>-C<sub>20</sub>heteroaryl which is substituted by E, C<sub>2</sub>-C<sub>24</sub>alkenyl, C<sub>2</sub>-C<sub>24</sub>alkynyl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkoxy which is substituted by E and/or interrupted by D, or C<sub>7</sub>-C<sub>25</sub>aralkyl, or

R<sup>9</sup> and R<sup>10</sup> form a ring, especially a five- or six-membered ring,


$R^{14}$  and  $R^{15}$  are independently of each other H,  $C_1$ - $C_{24}$ alkyl,  $C_1$ - $C_{24}$ alkyl which is substituted by E and/or interrupted by D,  $C_6$ - $C_{24}$ aryl,  $C_6$ - $C_{24}$ aryl which is substituted by E,  $C_2$ - $C_{20}$ heteroaryl, or  $C_2$ - $C_{20}$ heteroaryl which is substituted by E,

D is  $-\text{CO}-$ ,  $-\text{COO}-$ ,  $-\text{S}-$ ,  $-\text{SO}-$ ,  $-\text{SO}_2-$ ,  $-\text{O}-$ ,  $-\text{NR}^{25}-$ ,  $-\text{SiR}^{30}\text{R}^{31}-$ ,  $-\text{POR}^{32}-$ ,  $-\text{CR}^{23}=\text{CR}^{24}-$ , or  $-\text{C}\equiv\text{C}-$ , and


E is  $-\text{OR}^{29}$ ,  $-\text{SR}^{29}$ ,  $-\text{NR}^{25}\text{R}^{26}$ ,  $-\text{COR}^{28}$ ,  $-\text{COOR}^{27}$ ,  $-\text{CONR}^{25}\text{R}^{26}$ ,  $-\text{CN}$ ,  $-\text{OCOOR}^{27}$ , or halogen,

wherein

$R^{23}$ ,  $R^{24}$ ,  $R^{25}$  and  $R^{26}$  are independently of each other H,  $C_6$ - $C_{18}$ aryl,  $C_6$ - $C_{18}$ aryl which is substituted by  $C_1$ - $C_{24}$ alkyl,  $C_1$ - $C_{24}$ alkoxy,  $C_1$ - $C_{24}$ alkyl, or  $C_1$ - $C_{24}$ alkyl which is interrupted by  $-\text{O}-$ , or



$R^{25}$  and  $R^{26}$  together form a five or six membered ring, in particular




$R^{27}$  and  $R^{28}$  are independently of each other H,  $C_6$ - $C_{18}$ aryl,  $C_6$ - $C_{18}$ aryl which is substituted by  $C_1$ - $C_{24}$ alkyl, or  $C_1$ - $C_{24}$ alkoxy,  $C_1$ - $C_{24}$ alkyl, or  $C_1$ - $C_{24}$ alkyl which is interrupted by  $-\text{O}-$ ,

$R^{29}$  is H,  $C_6$ - $C_{18}$ aryl,  $C_6$ - $C_{18}$ aryl, which is substituted by  $C_1$ - $C_{24}$ alkyl,  $C_1$ - $C_{24}$ alkoxy,  $C_1$ - $C_{24}$ alkyl, or  $C_1$ - $C_{24}$ alkyl which is interrupted by  $-\text{O}-$ ,


$R^{30}$  and  $R^{31}$  are independently of each other  $C_1$ - $C_{24}$ alkyl,  $C_6$ - $C_{18}$ aryl, or  $C_6$ - $C_{18}$ aryl, which is substituted by  $C_1$ - $C_{24}$ alkyl, and

$R^{32}$  is  $C_1$ - $C_{24}$ alkyl,  $C_6$ - $C_{18}$ aryl, or  $C_6$ - $C_{18}$ aryl, which is substituted by  $C_1$ - $C_{24}$ alkyl.


7. (currently amended) An electroluminescent device according to claim 2, ~~3~~, or 5~~[[,]]~~ wherein the 2H-benzotriazole compound is a compound of formula



$A^{21}$ ,  $A^{22}$ ,  $A^{23}$  and  $A^{24}$  are independently of each other hydrogen, halogen,  $C_1$ - $C_{24}$ alkyl,  $C_1$ - $C_{24}$ perfluoroalkyl,  $C_6$ - $C_{18}$ aryl,  $-NR^{25}R^{26}$ ,  $-\text{CONR}^{25}R^{26}$ , or  $-\text{COOR}^{27}$ , or  $C_2$ - $C_{10}$ heteroaryl, especially




$A^{22}$  and  $A^{23}$  or  $A^{11}$  and  $A^{23}$  are a group of formula



$A^{11}$ ,  $A^{12}$ ,  $A^{13}$ ,  $A^{14}$ ,  $A^{15}$ ,  $A^{16}$ ,  $A^{17}$ , and  $A^{18}$  are independently of each other H, CN,  $C_1$ - $C_{24}$ alkyl,  $C_1$ - $C_{24}$ alkoxy,  $C_1$ - $C_{24}$ alkylthio,  $C_6$ - $C_{18}$ aryl,  $-NR^{25}R^{26}$ ,  $-\text{CONR}^{25}R^{26}$ , or  $-\text{COOR}^{27}$ , or  $C_2$ - $C_{10}$ heteroaryl, wherein

$R^{25}$  and  $R^{26}$  are independently of each other H,  $C_6$ - $C_{18}$ aryl,  $C_7$ - $C_{18}$ aralkyl, or  $C_1$ - $C_{24}$ alkyl,  $R^{27}$  is  $C_1$ - $C_{24}$ alkyl, and

Y<sup>3</sup> is a group of formula



R<sup>41</sup> is hydrogen, C<sub>1</sub>-C<sub>24</sub>alkoxy, or OC<sub>7</sub>-C<sub>18</sub>aralkyl,

R<sup>42</sup> is hydrogen, or C<sub>1</sub>-C<sub>24</sub>alkyl,

R<sup>43</sup> is hydrogen, halogen, -CONR<sup>25</sup>R<sup>26</sup>, -COOR<sup>27</sup>,

especially

[[.]] or

, wherein

E<sup>1</sup> is -S-, -O-, or -NR<sup>25'</sup>, wherein R<sup>25'</sup> is C<sub>1</sub>-C<sub>24</sub>alkyl, or C<sub>6</sub>-C<sub>10</sub>aryl,

R<sup>110</sup> is H, CN, C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkylthio, -NR<sup>25</sup>R<sup>26</sup>, -CONR<sup>25</sup>R<sup>26</sup>, or -COOR<sup>27</sup>, or

R<sup>42</sup> and R<sup>43</sup> are a group of formula

, or

R<sup>44</sup> is hydrogen, or C<sub>1</sub>-C<sub>24</sub>alkyl,

R<sup>45</sup> is hydrogen, or C<sub>1</sub>-C<sub>24</sub>alkyl,

A<sup>11'</sup>, A<sup>12'</sup>, A<sup>13'</sup>, and A<sup>14'</sup> are independently of each other H, CN, C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkylthio, -NR<sup>25</sup>R<sup>26</sup>, -CONR<sup>25</sup>R<sup>26</sup>, or -COOR<sup>27</sup>,


R<sup>68</sup> and R<sup>69</sup> are independently of each other C<sub>1</sub>-C<sub>24</sub>alkyl, ~~especially C<sub>4</sub>-C<sub>12</sub>alkyl, especially hexyl, heptyl, 2-ethylhexyl, and octyl~~[[.]] which can be interrupted by one or two oxygen atoms,

R<sup>70</sup>, R<sup>71</sup>, R<sup>72</sup>, R<sup>73</sup>, R<sup>74</sup>, R<sup>75</sup>, R<sup>76</sup>, R<sup>90</sup>, R<sup>91</sup>, R<sup>92</sup>, and R<sup>93</sup> are independently of each other H, CN, C<sub>1</sub>-C<sub>24</sub>alkyl, C<sub>6</sub>-C<sub>10</sub>aryl, C<sub>1</sub>-C<sub>24</sub>alkoxy, C<sub>1</sub>-C<sub>24</sub>alkylthio, -NR<sup>25</sup>R<sup>26</sup>, -CONR<sup>25</sup>R<sup>26</sup>, or -COOR<sup>27</sup>,

R<sup>25</sup> and R<sup>26</sup> are independently of each other H, C<sub>6</sub>-C<sub>18</sub>aryl, C<sub>7</sub>-C<sub>18</sub>aralkyl, or C<sub>1</sub>-C<sub>24</sub>alkyl, and

$R^{27}$  is  $C_1$ - $C_{24}$ alkyl.

8. (currently amended) An electroluminescent device according to claim 2, ~~3, or 6~~[[.]] wherein the 2H-benzotriazole compound is a compound of formula




or

(IIId), wherein


$A^{41}$ ,  $A^{42}$ ,  $A^{43}$  and  $A^{44}$  are independently of each other hydrogen, halogen,  $C_1$ - $C_{24}$ alkyl,  $C_1$ - $C_{24}$ perfluoroalkyl,  $C_6$ - $C_{18}$ aryl,  $-NR^{25}R^{26}$ ,  $-\text{CO}NR^{25}R^{26}$ , or  $-\text{COOR}^{27}$ , or  $C_2$ - $C_{10}$ heteroaryl,

especially a group of formula



[[.]] or

$A^{42}$  and  $A^{43}$  are a group of formula




$A^{51}$ ,  $A^{52}$ ,  $A^{53}$ ,  $A^{54}$ ,  $A^{55}$ ,  $A^{56}$ ,  $A^{57}$ ,  $A^{58}$ ,  $A^{59}$  and  $A^{60}$  are independently of each other H, CN,  $C_1$ - $C_{24}$ alkyl,  $C_1$ - $C_{24}$ alkoxy,  $C_1$ - $C_{24}$ alkylthio,  $C_6$ - $C_{18}$ aryl,  $-NR^{25}R^{26}$ ,  $-\text{CONR}^{25}R^{26}$ , or  $-\text{COOR}^{27}$ , or  $C_2$ - $C_{10}$ heteroaryl, wherein

$E^1$  is O, S, or  $-NR^{25}-$ ,

$R^{25}$  and  $R^{26}$  are independently of each other H,  $C_6$ - $C_{18}$ aryl,  $C_7$ - $C_{18}$ aralkyl, or  $C_1$ - $C_{24}$ alkyl,  $R^{27}$  is  $C_1$ - $C_{24}$ alkyl, and


$Y^1$  is a group of formula




$R^6$  is  $C_1$ - $C_{24}$ alkoxy, or  $-O$ - $C_7$ - $C_{25}$ aralkyl,  $R^7$  is H, or  $C_1$ - $C_{24}$ alkyl,  $R^9$  and  $R^{10}$  are independently of each other  $C_1$ - $C_{24}$ alkyl, especially  $C_4$ - $C_{12}$ alkyl[[.]] which can be interrupted by one or two oxygen atoms, and

$R^{25'}$  is  $C_1$ - $C_{24}$ alkyl, or  $C_6$ - $C_{10}$ aryl.

9. (currently amended) An electroluminescent device according to claim 2, ~~[[4]]~~, ~~5~~ or ~~6~~[[.]] wherein the 2H-benzotriazole compound is a compound of formula



(VIa), wherein d is 0, or 1,




$R^9$  and  $R^{10}$  are independently of each other  $C_1$ - $C_{24}$ alkyl, ~~especially  $C_4$ - $C_{12}$ alkyl~~ which can be interrupted by one or two oxygen atoms,

$R^{25}$  is H,  $C_6$ - $C_{18}$ aryl,  $C_7$ - $C_{18}$ aralkyl, or  $C_1$ - $C_{24}$ alkyl,

$R^{41}$  is  $C_1$ - $C_{24}$ alkoxy, or  $C_7$ - $C_{15}$ phenylalkoxy, and

$R^{44}$  is H, or  $C_1$ - $C_{24}$ alkyl.


**10. (currently amended)** A 2H-benzotriazole compound of the formula



a is 0, or 1,


b is 0, or 1,

$X^1$  is a group of formula



c is 0, or 1

$X^2$  and  $X^3$  are independently of each other a group of formula



$\text{Ar}^1$ ,  $\text{Ar}^2$ , and  $\text{Ar}^3$  are independently of each other ~~aryl or heteroaryl, which can optionally be substituted, especially  $C_6$ - $C_{30}$ aryl or a  $C_2$ - $C_{26}$ heteroaryl,~~ which can optionally be substituted,

$Y^1$  and  $Y^2$  are independently of each other a divalent linking group, and

$Y^3$  and  $Y^{3'}$  are independently of each other ~~aryl or heteroaryl, which can optionally be substituted, especially  $C_6$ - $C_{30}$ aryl or a  $C_2$ - $C_{26}$ heteroaryl,~~ which can optionally be substituted.